



Tubi flessibili e rigidi Flexible and rigid conduits

Per maggiori informazioni e dettagli tecnici consultare il catalogo specifico o visitare il sito www.cortemgroup.com

For further information and technical details please refer to the relevant catalogue or visit the website www.cortemgroup.com

**ESECUZIONE
ANTIDEFAGRANTE**

CE 0722 Ex II 2GD Ex d IIB Ex tD A21 IP 66/67
 CE 0722 Ex II 2GD Ex d IIC Ex tD A21 IP 66/67

**EX
CODE****CERTIFICAZIONE**

CESI 00 ATEX 048U (Elfit)

CERTIFICATE

GOST R



GOST K

DIRETTIVA

94/9/CE

DIRECTIVE**NORME**

EN 60079-0 - EN 60079-1 - EN 61241-1 - EN 61241-0

STANDARDS**INSTALLAZIONE** (secondo le EN 60079.10 - EN 60079.14)

zona 1 - 2 - 21 - 22

(according to EN 60079.10 - EN 60079.14) **INSTALLATION****CARATTERISTICHE**

I tubi flessibili vengono utilizzati per il collegamento di apparecchiature disassate o di apparecchiature soggette a vibrazioni, quali motori elettrici. Sono preferibili anche per l'installazione di armature illuminanti e in alternativa a tubi rigidi qualora questi fossero difficili da installare. I tubi flessibili della serie SP sono caratterizzati da una buona flessibilità e da un ottimo potere smorzante nei confronti delle vibrazioni.

COSTRUZIONE

I tubi flessibili e i relativi raccordi possono essere saldati esclusivamente dal produttore che ne certifica l'esecuzione.

Raccordi a saldare:

1/2" a 1" acciaio inox.

1 1/4" a 4" acciaio zincato.

Raccordi folli: acciaio zincato

Tubo flessibile a spire parallele: acciaio inox

Gamma disponibile interamente in inox
(codice con lettera finale S anzichè G).

Filettatura ISO7/1.

ACCESSORI A RICHIESTA

Altre filettature.

FEATURES

Flexible conduits are used to connect offset equipment or devices subject to vibrations such as electrical motors. Furthermore, they are suitable for installation of lighting fixtures and in alternative to rigid conduits when they are difficult to install. SP series have a good flexibility and a very good damping effect against vibrations.

CONSTRUCTION

Flexible conduits and relevant joints can be welded by manufacturer only.

Joints to be welded:

from 1/2" to 1" in stainless steel

from 1 1/4" to 4" in galvanised steel

Revolving joints in galvanized steel.


Spiralled flexible conduit in stainless steel.

All the range is available in stainless steel
(code with S rather than G as final letter)

ISO7/1 thread.

ACCESSORIES UPON REQUEST

Other threads.



Raccordo 1
Joint

Raccordo 2
Joint



Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPH13G	1/2"	300	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH14G	1/2"	400	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH15G	1/2"	500	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH16G	1/2"	600	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH17G	1/2"	700	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH18G	1/2"	800	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH19G	1/2"	900	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH110G	1/2"	1000	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH23G	3/4"	300	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH24G	3/4"	400	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH25G	3/4"	500	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH26G	3/4"	600	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH27G	3/4"	700	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH28G	3/4"	800	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH29G	3/4"	900	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH210G	3/4"	1000	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH33G	1"	300	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH34G	1"	400	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH35G	1"	500	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH36G	1"	600	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH37G	1"	700	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH38G	1"	800	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH39G	1"	900	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH310G	1"	1000	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH44G	1" 1/4	400	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH45G	1" 1/4	500	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH46G	1" 1/4	600	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH47G	1" 1/4	700	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH48G	1" 1/4	800	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH49G	1" 1/4	900	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH410G	1" 1/4	1000	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH55G	1" 1/2	500	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH56G	1" 1/2	600	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH57G	1" 1/2	700	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH58G	1" 1/2	800	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH59G	1" 1/2	900	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH510G	1" 1/2	1000	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH65G	2"	500	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH66G	2"	600	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH67G	2"	700	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH68G	2"	800	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH69G	2"	900	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH610G	2"	1000	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH76G	2" 1/2	600	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH77G	2" 1/2	700	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH78G	2" 1/2	800	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH79G	2" 1/2	900	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH710G	2" 1/2	1000	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH86G	3"	600	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH87G	3"	700	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH88G	3"	800	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH89G	3"	900	maschio fisso - fixed male	maschio fisso - fixed male	IIC	
SPH810G	3"	1000	maschio fisso - fixed male	maschio fisso - fixed male	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPG13G	1/2"	300	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG14G	1/2"	400	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG15G	1/2"	500	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG16G	1/2"	600	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG17G	1/2"	700	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG18G	1/2"	800	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG19G	1/2"	900	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG110G	1/2"	1000	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG23G	3/4"	300	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG24G	3/4"	400	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG25G	3/4"	500	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG26G	3/4"	600	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG27G	3/4"	700	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG28G	3/4"	800	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG29G	3/4"	900	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG210G	3/4"	1000	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG33G	1"	300	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG34G	1"	400	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG35G	1"	500	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG36G	1"	600	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG37G	1"	700	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG38G	1"	800	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG39G	1"	900	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG310G	1"	1000	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG44G	1" 1/4	400	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG45G	1" 1/4	500	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG46G	1" 1/4	600	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG47G	1" 1/4	700	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG48G	1" 1/4	800	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG49G	1" 1/4	900	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG410G	1" 1/4	1000	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG55G	1" 1/2	500	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG56G	1" 1/2	600	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG57G	1" 1/2	700	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG58G	1" 1/2	800	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG59G	1" 1/2	900	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG510G	1" 1/2	1000	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG65G	2"	500	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG66G	2"	600	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG67G	2"	700	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG68G	2"	800	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG69G	2"	900	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG610G	2"	1000	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG76G	2" 1/2	600	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG77G	2" 1/2	700	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG78G	2" 1/2	800	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG79G	2" 1/2	900	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG710G	2" 1/2	1000	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG86G	3"	600	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG87G	3"	700	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG88G	3"	800	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG89G	3"	900	femmina fissa – fixed female	maschio fisso - fixed male	IIC	
SPG810G	3"	1000	femmina fissa – fixed female	maschio fisso - fixed male	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPZ13G	1/2"	300	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ14G	1/2"	400	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ15G	1/2"	500	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ16G	1/2"	600	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ17G	1/2"	700	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ18G	1/2"	800	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ19G	1/2"	900	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ110G	1/2"	1000	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
				femmina fissa – fixed female		
SPZ23G	3/4"	300	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ24G	3/4"	400	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ25G	3/4"	500	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ26G	3/4"	600	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ27G	3/4"	700	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ28G	3/4"	800	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ29G	3/4"	900	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ210G	3/4"	1000	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ33G	1"	300	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ34G	1"	400	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ35G	1"	500	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ36G	1"	600	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ37G	1"	700	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ38G	1"	800	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ39G	1"	900	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ310G	1"	1000	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ44G	1" 1/4	400	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ45G	1" 1/4	500	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ46G	1" 1/4	600	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ47G	1" 1/4	700	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ48G	1" 1/4	800	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ49G	1" 1/4	900	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ410G	1" 1/4	1000	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ55G	1" 1/2	500	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ56G	1" 1/2	600	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ57G	1" 1/2	700	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ58G	1" 1/2	800	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ59G	1" 1/2	900	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ510G	1" 1/2	1000	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ65G	2"	500	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ66G	2"	600	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ67G	2"	700	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ68G	2"	800	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ69G	2"	900	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ610G	2"	1000	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ76G	2" 1/2	600	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ77G	2" 1/2	700	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ78G	2" 1/2	800	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ79G	2" 1/2	900	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ710G	2" 1/2	1000	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ86G	3"	600	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ87G	3"	700	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ88G	3"	800	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ89G	3"	900	femmina fissa – fixed female	femmina fissa – fixed female	IIC	
SPZ810G	3"	1000	femmina fissa – fixed female	femmina fissa – fixed female	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPRN13G	1/2"	300	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN14G	1/2"	400	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN15G	1/2"	500	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN16G	1/2"	600	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN17G	1/2"	700	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN18G	1/2"	800	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN19G	1/2"	900	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN110G	1/2"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN23G	3/4"	300	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN24G	3/4"	400	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN25G	3/4"	500	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN26G	3/4"	600	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN27G	3/4"	700	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN28G	3/4"	800	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN29G	3/4"	900	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN210G	3/4"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN33G	1"	300	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN34G	1"	400	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN35G	1"	500	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN36G	1"	600	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN37G	1"	700	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN38G	1"	800	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN39G	1"	900	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN310G	1"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN44G	1" 1/4	400	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN45G	1" 1/4	500	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN46G	1" 1/4	600	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN47G	1" 1/4	700	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN48G	1" 1/4	800	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN49G	1" 1/4	900	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN410G	1" 1/4	1000	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN55G	1" 1/2	500	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN56G	1" 1/2	600	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN57G	1" 1/2	700	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN58G	1" 1/2	800	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN59G	1" 1/2	900	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN510G	1" 1/2	1000	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN65G	2"	500	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN66G	2"	600	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN67G	2"	700	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN68G	2"	800	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN69G	2"	900	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN610G	2"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN76G	2" 1/2	600	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN77G	2" 1/2	700	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN78G	2" 1/2	800	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN79G	2" 1/2	900	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN710G	2" 1/2	1000	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN86G	3"	600	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN87G	3"	700	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN88G	3"	800	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN89G	3"	900	maschio folle - revolving male	maschio fisso - fixed male	IIC	
SPRN810G	3"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPRI13G	1/2"	300	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI14G	1/2"	400	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI15G	1/2"	500	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI16G	1/2"	600	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI17G	1/2"	700	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI18G	1/2"	800	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI19G	1/2"	900	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI110G	1/2"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI23G	3/4"	300	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI24G	3/4"	400	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI25G	3/4"	500	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI26G	3/4"	600	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI27G	3/4"	700	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI28G	3/4"	800	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI29G	3/4"	900	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI210G	3/4"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI33G	1"	300	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI34G	1"	400	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI35G	1"	500	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI36G	1"	600	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI37G	1"	700	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI38G	1"	800	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI39G	1"	900	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI310G	1"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI44G	1" 1/4	400	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI45G	1" 1/4	500	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI46G	1" 1/4	600	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI47G	1" 1/4	700	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI48G	1" 1/4	800	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI49G	1" 1/4	900	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI410G	1" 1/4	1000	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI55G	1" 1/2	500	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI56G	1" 1/2	600	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI57G	1" 1/2	700	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI58G	1" 1/2	800	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI59G	1" 1/2	900	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI510G	1" 1/2	1000	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI65G	2"	500	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI66G	2"	600	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI67G	2"	700	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI68G	2"	800	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI69G	2"	900	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI610G	2"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI76G	2" 1/2	600	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI77G	2" 1/2	700	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI78G	2" 1/2	800	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI79G	2" 1/2	900	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI710G	2" 1/2	1000	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI86G	3"	600	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI87G	3"	700	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI88G	3"	800	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI89G	3"	900	femmina folle - revolving female	maschio fisso - fixed male	IIC	
SPRI810G	3"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPRY13G	1/2"	300	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY14G	1/2"	400	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY15G	1/2"	500	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY16G	1/2"	600	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY17G	1/2"	700	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY18G	1/2"	800	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY19G	1/2"	900	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY110G	1/2"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY23G	3/4"	300	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY24G	3/4"	400	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY25G	3/4"	500	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY26G	3/4"	600	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY27G	3/4"	700	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY28G	3/4"	800	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY29G	3/4"	900	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY210G	3/4"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY33G	1"	300	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY34G	1"	400	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY35G	1"	500	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY36G	1"	600	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY37G	1"	700	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY38G	1"	800	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY39G	1"	900	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY310G	1"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY44G	1" 1/4	400	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY45G	1" 1/4	500	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY46G	1" 1/4	600	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY47G	1" 1/4	700	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY48G	1" 1/4	800	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY49G	1" 1/4	900	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY410G	1" 1/4	1000	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY55G	1" 1/2	500	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY56G	1" 1/2	600	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY57G	1" 1/2	700	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY58G	1" 1/2	800	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY59G	1" 1/2	900	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY510G	1" 1/2	1000	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY65G	2"	500	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY66G	2"	600	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY67G	2"	700	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY68G	2"	800	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY69G	2"	900	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY610G	2"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY76G	2" 1/2	600	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY77G	2" 1/2	700	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY78G	2" 1/2	800	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY79G	2" 1/2	900	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY710G	2" 1/2	1000	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY86G	3"	600	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY87G	3"	700	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY88G	3"	800	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY89G	3"	900	maschio folle - revolving male	femmina fissa – fixed female	IIC	
SPRY810G	3"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPRD13G	1/2"	300	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD14G	1/2"	400	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD15G	1/2"	500	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD16G	1/2"	600	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD17G	1/2"	700	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD18G	1/2"	800	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD19G	1/2"	900	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD110G	1/2"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD23G	3/4"	300	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD24G	3/4"	400	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD25G	3/4"	500	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD26G	3/4"	600	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD27G	3/4"	700	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD28G	3/4"	800	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD29G	3/4"	900	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD210G	3/4"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD33G	1"	300	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD34G	1"	400	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD35G	1"	500	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD36G	1"	600	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD37G	1"	700	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD38G	1"	800	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD39G	1"	900	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD310G	1"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD44G	1" 1/4	400	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD45G	1" 1/4	500	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD46G	1" 1/4	600	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD47G	1" 1/4	700	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD48G	1" 1/4	800	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD49G	1" 1/4	900	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD410G	1" 1/4	1000	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD55G	1" 1/2	500	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD56G	1" 1/2	600	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD57G	1" 1/2	700	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD58G	1" 1/2	800	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD59G	1" 1/2	900	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD510G	1" 1/2	1000	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD65G	2"	500	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD66G	2"	600	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD67G	2"	700	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD68G	2"	800	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD69G	2"	900	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD610G	2"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD76G	2" 1/2	600	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD77G	2" 1/2	700	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD78G	2" 1/2	800	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD79G	2" 1/2	900	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD710G	2" 1/2	1000	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD86G	3"	600	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD87G	3"	700	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD88G	3"	800	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD89G	3"	900	femmina folle - revolving female	femmina fissa – fixed female	IIC	
SPRD810G	3"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPRP13G	1/2"	300	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP14G	1/2"	400	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP15G	1/2"	500	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP16G	1/2"	600	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP17G	1/2"	700	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP18G	1/2"	800	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP19G	1/2"	900	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP110G	1/2"	1000	maschio folle - revolving male	maschio folle - revolving male	IIC	
				maschio folle - revolving male		
SPRP23G	3/4"	300	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP24G	3/4"	400	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP25G	3/4"	500	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP26G	3/4"	600	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP27G	3/4"	700	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP28G	3/4"	800	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP29G	3/4"	900	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP210G	3/4"	1000	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP33G	1"	300	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP34G	1"	400	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP35G	1"	500	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP36G	1"	600	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP37G	1"	700	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP38G	1"	800	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP39G	1"	900	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP310G	1"	1000	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP44G	1" 1/4	400	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP45G	1" 1/4	500	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP46G	1" 1/4	600	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP47G	1" 1/4	700	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP48G	1" 1/4	800	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP49G	1" 1/4	900	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP410G	1" 1/4	1000	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP55G	1" 1/2	500	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP56G	1" 1/2	600	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP57G	1" 1/2	700	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP58G	1" 1/2	800	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP59G	1" 1/2	900	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP510G	1" 1/2	1000	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP65G	2"	500	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP66G	2"	600	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP67G	2"	700	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP68G	2"	800	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP69G	2"	900	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP610G	2"	1000	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP76G	2" 1/2	600	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP77G	2" 1/2	700	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP78G	2" 1/2	800	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP79G	2" 1/2	900	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP710G	2" 1/2	1000	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP86G	3"	600	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP87G	3"	700	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP88G	3"	800	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP89G	3"	900	maschio folle - revolving male	maschio folle - revolving male	IIC	
SPRP810G	3"	1000	maschio folle - revolving male	maschio folle - revolving male	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPRE13G	1/2"	300	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE14G	1/2"	400	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE15G	1/2"	500	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE16G	1/2"	600	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE17G	1/2"	700	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE18G	1/2"	800	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE19G	1/2"	900	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE110G	1/2"	1000	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE23G	3/4"	300	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE24G	3/4"	400	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE25G	3/4"	500	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE26G	3/4"	600	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE27G	3/4"	700	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE28G	3/4"	800	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE29G	3/4"	900	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE210G	3/4"	1000	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE33G	1"	300	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE34G	1"	400	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE35G	1"	500	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE36G	1"	600	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE37G	1"	700	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE38G	1"	800	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE39G	1"	900	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE310G	1"	1000	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE44G	1" 1/4	400	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE45G	1" 1/4	500	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE46G	1" 1/4	600	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE47G	1" 1/4	700	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE48G	1" 1/4	800	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE49G	1" 1/4	900	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE410G	1" 1/4	1000	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE55G	1" 1/2	500	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE56G	1" 1/2	600	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE57G	1" 1/2	700	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE58G	1" 1/2	800	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE59G	1" 1/2	900	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE510G	1" 1/2	1000	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE65G	2"	500	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE66G	2"	600	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE67G	2"	700	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE68G	2"	800	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE69G	2"	900	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE610G	2"	1000	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE76G	2" 1/2	600	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE77G	2" 1/2	700	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE78G	2" 1/2	800	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE79G	2" 1/2	900	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE710G	2" 1/2	1000	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE86G	3"	600	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE87G	3"	700	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE88G	3"	800	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE89G	3"	900	femmina folle - revolving female	maschio folle - revolving male	IIC	
SPRE810G	3"	1000	femmina folle - revolving female	maschio folle - revolving male	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPRT13G	1/2"	300	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT14G	1/2"	400	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT15G	1/2"	500	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT16G	1/2"	600	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT17G	1/2"	700	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT18G	1/2"	800	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT19G	1/2"	900	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT110G	1/2"	1000	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT23G	3/4"	300	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT24G	3/4"	400	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT25G	3/4"	500	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT26G	3/4"	600	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT27G	3/4"	700	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT28G	3/4"	800	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT29G	3/4"	900	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT210G	3/4"	1000	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT33G	1"	300	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT34G	1"	400	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT35G	1"	500	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT36G	1"	600	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT37G	1"	700	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT38G	1"	800	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT39G	1"	900	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT310G	1"	1000	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT44G	1" 1/4	400	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT45G	1" 1/4	500	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT46G	1" 1/4	600	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT47G	1" 1/4	700	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT48G	1" 1/4	800	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT49G	1" 1/4	900	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT410G	1" 1/4	1000	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT55G	1" 1/2	500	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT56G	1" 1/2	600	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT57G	1" 1/2	700	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT58G	1" 1/2	800	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT59G	1" 1/2	900	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT510G	1" 1/2	1000	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT65G	2"	500	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT66G	2"	600	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT67G	2"	700	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT68G	2"	800	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT69G	2"	900	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT610G	2"	1000	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT76G	2" 1/2	600	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT77G	2" 1/2	700	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT78G	2" 1/2	800	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT79G	2" 1/2	900	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT710G	2" 1/2	1000	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT86G	3"	600	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT87G	3"	700	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT88G	3"	800	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT89G	3"	900	femmina folle - revolving female	femmina folle - revolving female	IIC	
SPRT810G	3"	1000	femmina folle - revolving female	femmina folle - revolving female	IIC	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPN13G	1/2"	300	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN14G	1/2"	400	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN15G	1/2"	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN16G	1/2"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN17G	1/2"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN18G	1/2"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN19G	1/2"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN110G	1/2"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN23G	3/4"	300	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN24G	3/4"	400	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN25G	3/4"	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN26G	3/4"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN27G	3/4"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN28G	3/4"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN29G	3/4"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN210G	3/4"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN33G	1"	300	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN34G	1"	400	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN35G	1"	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN36G	1"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN37G	1"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN38G	1"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN39G	1"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN310G	1"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN44G	1" 1/4	400	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN45G	1" 1/4	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN46G	1" 1/4	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN47G	1" 1/4	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN48G	1" 1/4	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN49G	1" 1/4	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN410G	1" 1/4	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN55G	1" 1/2	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN56G	1" 1/2	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN57G	1" 1/2	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN58G	1" 1/2	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN59G	1" 1/2	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN510G	1" 1/2	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN65G	2"	500	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN66G	2"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN67G	2"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN68G	2"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN69G	2"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN610G	2"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN76G	2" 1/2	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN77G	2" 1/2	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN78G	2" 1/2	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN79G	2" 1/2	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN710G	2" 1/2	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN86G	3"	600	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN87G	3"	700	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN88G	3"	800	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN89G	3"	900	maschio folle - revolving male	maschio fisso - fixed male	IIB	
SPN810G	3"	1000	maschio folle - revolving male	maschio fisso - fixed male	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPI13G	1/2"	300	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI14G	1/2"	400	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI15G	1/2"	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI16G	1/2"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI17G	1/2"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI18G	1/2"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI19G	1/2"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI110G	1/2"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI23G	3/4"	300	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI24G	3/4"	400	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI25G	3/4"	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI26G	3/4"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI27G	3/4"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI28G	3/4"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI29G	3/4"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI210G	3/4"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI33G	1"	300	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI34G	1"	400	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI35G	1"	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI36G	1"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI37G	1"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI38G	1"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI39G	1"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI310G	1"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI44G	1" 1/4	400	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI45G	1" 1/4	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI46G	1" 1/4	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI47G	1" 1/4	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI48G	1" 1/4	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI49G	1" 1/4	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI410G	1" 1/4	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI55G	1" 1/2	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI56G	1" 1/2	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI57G	1" 1/2	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI58G	1" 1/2	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI59G	1" 1/2	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI510G	1" 1/2	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI65G	2"	500	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI66G	2"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI67G	2"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI68G	2"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI69G	2"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI610G	2"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI76G	2" 1/2	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI77G	2" 1/2	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI78G	2" 1/2	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI79G	2" 1/2	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI710G	2" 1/2	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI86G	3"	600	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI87G	3"	700	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI88G	3"	800	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI89G	3"	900	femmina folle - revolving female	maschio fisso - fixed male	IIB	
SPI810G	3"	1000	femmina folle - revolving female	maschio fisso - fixed male	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPY13G	1/2"	300	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY14G	1/2"	400	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY15G	1/2"	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY16G	1/2"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY17G	1/2"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY18G	1/2"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY19G	1/2"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY110G	1/2"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY23G	3/4"	300	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY24G	3/4"	400	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY25G	3/4"	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY26G	3/4"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY27G	3/4"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY28G	3/4"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY29G	3/4"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY210G	3/4"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY33G	1"	300	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY34G	1"	400	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY35G	1"	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY36G	1"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY37G	1"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY38G	1"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY39G	1"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY310G	1"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY44G	1" 1/4	400	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY45G	1" 1/4	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY46G	1" 1/4	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY47G	1" 1/4	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY48G	1" 1/4	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY49G	1" 1/4	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY410G	1" 1/4	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY55G	1" 1/2	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY56G	1" 1/2	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY57G	1" 1/2	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY58G	1" 1/2	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY59G	1" 1/2	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY510G	1" 1/2	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY65G	2"	500	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY66G	2"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY67G	2"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY68G	2"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY69G	2"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY610G	2"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY76G	2" 1/2	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY77G	2" 1/2	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY78G	2" 1/2	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY79G	2" 1/2	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY710G	2" 1/2	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY86G	3"	600	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY87G	3"	700	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY88G	3"	800	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY89G	3"	900	maschio folle - revolving male	femmina fissa – fixed female	IIB	
SPY810G	3"	1000	maschio folle - revolving male	femmina fissa – fixed female	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPD13G	1/2"	300	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD14G	1/2"	400	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD15G	1/2"	500	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD16G	1/2"	600	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD17G	1/2"	700	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD18G	1/2"	800	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD19G	1/2"	900	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD110G	1/2"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD23G	3/4"	300	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD24G	3/4"	400	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD25G	3/4"	500	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD26G	3/4"	600	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD27G	3/4"	700	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD28G	3/4"	800	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD29G	3/4"	900	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD210G	3/4"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD33G	1"	300	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD34G	1"	400	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD35G	1"	500	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD36G	1"	600	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD37G	1"	700	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD38G	1"	800	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD39G	1"	900	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD310G	1"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD44G	1" 1/4	400	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD45G	1" 1/4	500	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD46G	1" 1/4	600	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD47G	1" 1/4	700	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD48G	1" 1/4	800	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD49G	1" 1/4	900	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD410G	1" 1/4	1000	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD55G	1" 1/2	500	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD56G	1" 1/2	600	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD57G	1" 1/2	700	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD58G	1" 1/2	800	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD59G	1" 1/2	900	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD510G	1" 1/2	1000	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD65G	2"	500	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD66G	2"	600	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD67G	2"	700	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD68G	2"	800	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD69G	2"	900	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD610G	2"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD76G	2" 1/2	600	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD77G	2" 1/2	700	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD78G	2" 1/2	800	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD79G	2" 1/2	900	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD710G	2" 1/2	1000	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD86G	3"	600	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD87G	3"	700	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD88G	3"	800	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD89G	3"	900	femmina folle - revolving female	femmina fissa – fixed female	IIB	
SPD810G	3"	1000	femmina folle - revolving female	femmina fissa – fixed female	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPP13G	1/2"	300	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP14G	1/2"	400	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP15G	1/2"	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP16G	1/2"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP17G	1/2"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP18G	1/2"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP19G	1/2"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP110G	1/2"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP23G	3/4"	300	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP24G	3/4"	400	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP25G	3/4"	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP26G	3/4"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP27G	3/4"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP28G	3/4"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP29G	3/4"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP210G	3/4"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP33G	1"	300	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP34G	1"	400	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP35G	1"	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP36G	1"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP37G	1"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP38G	1"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP39G	1"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP310G	1"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP44G	1" 1/4	400	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP45G	1" 1/4	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP46G	1" 1/4	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP47G	1" 1/4	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP48G	1" 1/4	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP49G	1" 1/4	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP410G	1" 1/4	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP55G	1" 1/2	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP56G	1" 1/2	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP57G	1" 1/2	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP58G	1" 1/2	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP59G	1" 1/2	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP510G	1" 1/2	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP65G	2"	500	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP66G	2"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP67G	2"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP68G	2"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP69G	2"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP610G	2"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP76G	2" 1/2	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP77G	2" 1/2	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP78G	2" 1/2	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP79G	2" 1/2	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP710G	2" 1/2	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP86G	3"	600	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP87G	3"	700	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP88G	3"	800	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP89G	3"	900	maschio folle - revolving male	maschio folle - revolving male	IIB	
SPP810G	3"	1000	maschio folle - revolving male	maschio folle - revolving male	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPE13G	1/2"	300	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE14G	1/2"	400	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE15G	1/2"	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE16G	1/2"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE17G	1/2"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE18G	1/2"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE19G	1/2"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE110G	1/2"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE23G	3/4"	300	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE24G	3/4"	400	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE25G	3/4"	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE26G	3/4"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE27G	3/4"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE28G	3/4"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE29G	3/4"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE210G	3/4"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE33G	1"	300	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE34G	1"	400	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE35G	1"	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE36G	1"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE37G	1"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE38G	1"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE39G	1"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE310G	1"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE44G	1" 1/4	400	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE45G	1" 1/4	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE46G	1" 1/4	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE47G	1" 1/4	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE48G	1" 1/4	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE49G	1" 1/4	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE410G	1" 1/4	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE55G	1" 1/2	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE56G	1" 1/2	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE57G	1" 1/2	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE58G	1" 1/2	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE59G	1" 1/2	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE510G	1" 1/2	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE65G	2"	500	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE66G	2"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE67G	2"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE68G	2"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE69G	2"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE610G	2"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE76G	2" 1/2	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE77G	2" 1/2	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE78G	2" 1/2	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE79G	2" 1/2	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE710G	2" 1/2	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE86G	3"	600	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE87G	3"	700	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE88G	3"	800	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE89G	3"	900	femmina folle - revolving female	maschio folle - revolving male	IIB	
SPE810G	3"	1000	femmina folle - revolving female	maschio folle - revolving male	IIB	

Codice Code	Filettatura Thread Ø	Lunghezza Length mm	Raccordo Joint 1	Raccordo Joint 2	Classe gas Gas group	Prezzo Price
SPT13G	1/2"	300	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT14G	1/2"	400	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT15G	1/2"	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT16G	1/2"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT17G	1/2"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT18G	1/2"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT19G	1/2"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT110G	1/2"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT23G	3/4"	300	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT24G	3/4"	400	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT25G	3/4"	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT26G	3/4"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT27G	3/4"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT28G	3/4"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT29G	3/4"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT210G	3/4"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT33G	1"	300	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT34G	1"	400	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT35G	1"	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT36G	1"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT37G	1"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT38G	1"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT39G	1"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT310G	1"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT44G	1" 1/4	400	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT45G	1" 1/4	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT46G	1" 1/4	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT47G	1" 1/4	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT48G	1" 1/4	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT49G	1" 1/4	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT410G	1" 1/4	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT55G	1" 1/2	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT56G	1" 1/2	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT57G	1" 1/2	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT58G	1" 1/2	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT59G	1" 1/2	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT510G	1" 1/2	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT65G	2"	500	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT66G	2"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT67G	2"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT68G	2"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT69G	2"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT610G	2"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT76G	2" 1/2	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT77G	2" 1/2	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT78G	2" 1/2	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT79G	2" 1/2	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT710G	2" 1/2	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT86G	3"	600	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT87G	3"	700	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT88G	3"	800	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT89G	3"	900	femmina folle - revolving female	femmina folle - revolving female	IIB	
SPT810G	3"	1000	femmina folle - revolving female	femmina folle - revolving female	IIB	

DIRETTIVA	94/9/CE	DIRECTIVE
NORME	EN 50014 - EN 50018	STANDARDS
INSTALLAZIONE (secondo le EN 60079.10 - EN 60079.14)	zona 1 - 2	(according to EN 60079.10 - EN 60079.14) INSTALLATION

CARATTERISTICHE

I tubi rigidi vengono utilizzati, nelle aree con pericolo di esplosione, per collegare apparecchiature elettriche e, tramite i raccordi di bloccaggio e di collegamento, formano un sistema antideflagrante completo.


I tubi sono trafilati all'interno in modo da eliminare ogni asperità che possa danneggiare i cavi elettrici che verranno introdotti.

COSTRUZIONE

Tubo in acciaio zincato UNI 7683.
Lunghezza standard verga: 6 metri.
Manicotti proteggi filetto in plastica.
Filettatura ISO7/1.

ACCESSORI A RICHIESTA

Altre filettature.

**FEATURES**

Rigid conduits are used in hazardous areas to connect electrical equipment setting up a complete explosion proof system through blocking and connecting unions. The conduits are drawn inside so that all roughness, which could damage the electrical cables, are eliminated.

CONSTRUCTION

UNI 7683 galvanised steel conduit.
Standard bar length: 6 meters.
Plastic couplings for thread protection.
ISO7/1 thread.

ACCESSORIES UPON REQUEST

Other threads.

Codice Code	Filettatura Thread Ø	Prezzo Price
BC1	1/2"	
BC2	3/4"	
BC3	1"	
BC4	1" 1/4	
BC5	1" 1/2	
BC6	2"	
BC7	2" 1/2	
BC8	3"	
BC10	4"	